


CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

The following listing of claims will replace all prior versions, and listings, of claims in the application.

LISTING OF CLAIMS

1. (Previously Presented) A compound according to Formula (I)



or a pharmaceutically acceptable salt thereof

wherein

V is $-N(R^1)(R^2)$ or OR^4 ;

R^4 is H, C_{1-6} alkyl, C_{1-4} haloalkyl or $(C_{1-4}$ alkylene) $_{0-1}R^{4'}$

$R^{4'}$ is C_{3-7} cycloalkyl, phenyl, adamantyl, quinuclidyl, azabicyclo[2.2.1]heptyl, azetidiny, tetrahydrofuranyl, furanyl, dioxolanyl, thienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazoliny, imidazolidinyl, pyrazolyl, pyrazoliny, pyrazolidinyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl, pyranyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, piperidinyl, piperazinyl, morpholino, thiomorpholino or dioxolanyl; and $R^{4'}$ is optionally substituted with 1 or 2 of the same or different substituents selected from the group consisting of halo, cyano, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} alkoxy, hydroxy, amino, C_{3-7} cycloalkyl, C_{1-3} alkylamino, C_{1-3} dialkylamino, $(C_{1-3}$ alkyl) $_{0-2}$ ureido, phenyl and benzyl; and

$R^{4'}$ optionally contains 1 or 2 carbonyls wherein the carbon atom of said carbonyl is a member of the ring structure of $R^{4'}$;

R^1 and R^2 are each independently L^1 , wherein L^1 is selected from the group consisting of H, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $-C_{1-6}$ alkylene-amino $(C_{1-3}$ alkyl) $_2$, C_{3-7} cycloalkyl, phenyl, azetidiny, adamantyl,

CASE: CT2777A US - CIP (1)
U.S.S.N. 10/729,155

tetrahydrofuranyl, furanyl, dioxolanyl, thienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazoliny, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl, pyranyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, piperidinyl, piperazinyl, morpholino, thiomorpholino and dioxolanyl; and

R^1 and R^2 are each optionally and independently substituted with 1 or 2 of the same or different substituents selected from the group consisting of halo, cyano, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} alkoxy, hydroxy, amino, C_{3-7} cycloalkyl, C_{1-3} alkylamino, C_{1-3} dialkylamino, $(C_{1-3}alkyl)_0-2$ ureido, phenyl and benzyl;

R^1 and R^2 optionally and independently contain 1 or 2 carbonyls wherein the carbon atom of said carbonyl is a member of the heterocycles comprising R^1 and R^2 ;

wherein L^1 is optionally and independently interrupted from the nitrogen to which it is attached by L^2 , wherein L^2 is independently C_{1-3} alkylene or C_{1-3} alkylidene; or

R^1 and R^2 together with the nitrogen to which they are attached form X,

wherein X is azetidiny, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazoliny, imidazolidinyl, pyrazolinyl, pyrazolidinyl, azepiny, diazepiny, piperazinyl, piperidinyl, morpholino or thiomorpholino;

wherein X is optionally substituted with Y, wherein Y is

dioxolanyl, C_{1-9} alkyl, C_{2-9} alkenyl, C_{2-9} alkynyl, C_{1-4} alkylamino, C_{1-4} dialkylamino, C_{1-4} alkoxy, C_{3-7} cycloalkyl, phenyl, azetidiny, furanyl, thienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, pyrrolidinonyl, imidazolyl, imidazoliny, imidazolidinyl, imidazolidinonyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, azepiny, diazepiny, pyridyl, pyrimidinyl, dihydrobenzimidazolonyl, piperazinyl, piperidinyl, morpholino, benzothiazolyl, benzisothiazolyl or thiomorpholino;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

and wherein X and Y are

optionally interrupted with Z, wherein Z is -

NHC(O)O-, -NHC(O)NH-, NC(O)NH₂, -
NH-, -C₁₋₃alkylene-, C₁₋₃alkenylene-
NHC(O)O-C₁₋₃alkylene-; and

optionally and independently substituted with 1 or 2

of the same or different substituents selected
from the group consisting of C₁₋₄alkyl,
amino, C₁₋₃alkylamino,
-C₁₋₆alkylene-amino(C₁₋₃alkyl)₂, (C₁₋₃alkyl)₀₋₂
ureido, phenyl and benzyl;

X and Y optionally and independently contain 1 or
2 carbonyls wherein the carbon atom of said
carbonyl is a member of the heterocycles
comprising X and Y;

provided that if X is substituted with Y, and if X and Y are
not interrupted with Z, then

X and Y optionally share one carbon atom and
together form a spirocyclic moiety;

Q is Q' or Q";

wherein

Q' is (S^y)_sR³; and

Q" is NH(S^y)_sR³, NHC(O)(S^y)_sR³, NHC(O)O(S^y)_sR³, NHC(O)NH(S^y)_sR³,
O(S^y)_sR³, (S^y)_sNHR³, (S^y)_sNHC(O)R³, (S^y)_sNHC(O)OR³,
(S^y)_sNHC(O)NHR³ or (S^y)_sOR³;

wherein S^y is C₁₋₃alkylene or C₁₋₃alkylidene and s is 0 or 1;

U is CH₂ or NH;

provided that if Q is Q", then U is CH₂;

R³ is R^{3a} or R^{3b}

wherein

R^{3a} is

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

- (i) a heterocycle having two fused rings with 5 to 7 members in each of said rings, said heterocycle containing one to five of the same or different heteroatoms selected from the group consisting of O, N and S and said heterocycle optionally containing 1 or 2 carbonyls wherein the carbon atom of said carbonyl is a member of said fused rings;
- (ii) a 4 to 6 membered heterocycle containing one to three of the same or different heteroatoms selected from the group consisting of O, N and S, optionally containing 1 to 2 carbonyls, wherein the carbon atom of said carbonyl is a member of said 4 to 6 membered heterocycle;
- (iii) C₃₋₇cycloalkyl;
- (iv) carbazolyl, fluorenyl, phenyl, -O-phenyl, -O-C₁₋₄alkylene-phenyl, or naphthyl; or
- (v) C₁₋₈alkyl, C₂₋₇alkenyl, -C(O)R^{3'}, CHC(O)O-R^{3'}, CH(CH₃)C(O)O-R^{3'}, -C(O)O-R^{3'} or C₂₋₇alkynyl; and

wherein R^{3a} is optionally substituted with 1 to 3 of the same or different substituents selected from the group consisting of benzyl, phenyl, -O-phenyl, -O-C₁₋₃alkylenepheryl, -C₁₋₃alkylene-OC(O)-phenyl, cyano, amino, nitro, halo, C₁₋₆alkyl, C₁₋₃mono-bi-tri-haloalkyl, C₁₋₃mono-bi-tri-haloalkyloxy, (C₁₋₃alkyl)₁₋₂amine, -OR^{3'}, -C(O)R^{3'}, -C(O)O-R^{3'}, -O-C(O)R^{3'}, -N(R^{3'})₂, -C(O)N(R^{3'})₂, -N(R^{3'})C(O)(R^{3'})₂, -N(R^{3'})C(O)N(R^{3'})₂, -N(R^{3'})C(O)OR^{3'}, -O-C(O)N(R^{3'})₂, -N(R^{3'})SO₂R^{3'}, -SO₂N(R^{3'})₂ and -SO₂R^{3'};

R^{3'} is H or -C₁₋₆alkyl;

provided that if R^{3a} is , -C(O)R^{3'}, CHC(O)O-R^{3'}, CH(CH₃)C(O)O-R^{3'} or -C(O)O-R^{3'}, then said -C(O)R^{3'}, CHC(O)O-R^{3'}, CH(CH₃)C(O)O-R^{3'} or -C(O)O-R^{3'} are unsubstituted;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

R^{3b} is R^{3a} but is not phenyl, 1-naphthyl, 2-naphthyl, 1,2,3,4-tetrahydro-1-naphthyl, 1H-indol-3-yl, 1-methyl-1H-indol-3-yl, 1-formyl-1H-indol-3-yl, 1-(1,1-dimethylethoxycarbonyl)-1H-indol-3-yl, 4-imidazolyl, 1-methyl-4-imidazolyl, 2-thienyl, 3-thienyl, thiazolyl, 1H-indazol-3-yl, 1-methyl-1H-indazol-3-yl, benzo[b]fur-3-yl, benzo[b]thien-3-yl, pyridinyl, quinolinyl or isoquinolinyl; optionally substituted in the carbon skeleton with mono-, di- or trisubstituted by fluorine, chlorine or bromine atoms or by branched or unbranched alkyl groups, C_{3-8} -cycloalkyl groups, phenylalkyl groups, alkenyl, alkoxy, phenyl, phenylalkoxy, trifluoromethyl, alkoxycarbonylalkyl, carboxyalkyl, alkoxycarbonyl, carboxy, dialkylaminoalkyl, dialkylaminoalkoxy, hydroxy, nitro, amino, acetylamino, propionylamino, benzoyl, benzoylamino, benzoylmethylamino, methylsulphonyloxy, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, alkanoyl, cyano, tetrazolyl, phenyl, pyridinyl, thiazolyl, furyl, trifluoromethoxy, trifluoromethylthio, trifluoromethylsulphinyl- or trifluoromethylsulphonyl groups; wherein said substituents may be the same or different and the above-mentioned benzoyl, benzoylamino- and benzoylmethylamino groups may in turn additionally be substituted in the phenyl moiety by a fluorine, chlorine or bromine atom, or by an alkyl, trifluoromethyl, amino or acetylamino group;

D is O, NCN or $NSO_2C_{1-3}alkyl$;

A is CH;

m and n are each 1;

E is N, CH or C;

p is 1;

G, J and E together form A^x ;

A^x is a fused heterocycle having two fused rings with 5 to 7 members in each of said rings, said heterocycle containing one to four of the same or different heteroatoms selected from the group consisting of O, N and S; and optionally containing 1 or 2 carbonyls wherein the carbon atom of said carbonyl is a member of said fused heterocycle;

and further provided that

if Q is Q", then R³ is R^{3a}; and

if Q is Q', then

R³ is R^{3b}.

2. (Original) A compound according to claim 1, wherein Q is Q' and R³ is R^{3b}.
- 3 - 5. (Canceled)
6. (Original) A compound according to claim 1, wherein Q is Q".
7. (Original) A compound according to claim 6, wherein Q" is NH(S^y)_sR³.
8. (Original) A compound according to claim 6, wherein Q" is NHC(O)(S^y)_sR³.
9. (Original) A compound according to claim 6, wherein Q" is NHC(O)O(S^y)_sR³.
10. (Original) A compound according to claim 6, wherein Q" is NHC(O)NH(S^y)_sR³.
11. (Original) A compound according to claim 6, wherein Q" is O(S^y)_sR³.
12. (Original) A compound according to claim 6, wherein Q" is (S^y)_sNHR³.
13. (Original) A compound according to claim 6, wherein Q" is (S^y)_sNHC(O)R³.
14. (Original) A compound according to claim 6, wherein Q" is (S^y)_sNHC(O)OR³.

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

15. (Original) A compound according to claim 6, wherein Q" is $(S^y)_sNHC(O)NHR^3$.
16. (Original) A compound according to claim 6, wherein Q" is $(S^y)_sOR^3$.
17. (Original) A compound according to claim 1, wherein V is OR^4 .
18. (Original) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$.
19. (Original) A compound according to claim 1, wherein R^4 is H, C_{1-6} alkyl or $(C_{1-4}alkylene)_{0-1}R^{4'}$ and $R^{4'}$ is C_{3-7} cycloalkyl.
20. (Original) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and R^1 and R^2 are each independently L^1 , wherein L^1 is selected from the group consisting of H, C_{1-6} alkyl, $-C_{1-6}alkylene-amino(C_{1-3}alkyl)_2$, C_{3-7} cycloalkyl, phenyl, azetidiny, adamantyl, tetrahydrofuranyl, furanyl, dioxolanyl, thienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazoliny, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl, pyranyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, piperidinyl, piperazinyl, morpholino, thiomorpholino and dioxolanyl; or R^1 and R^2 together with the nitrogen to which they are attached form X, wherein X is azetidiny, pyrrolinyl, pyrrolidinyl, imidazoliny, imidazolidinyl, pyrazolinyl, pyrazolidinyl, azepiny, diazepiny, piperazinyl, piperidinyl, morpholino or thiomorpholino; wherein X is substituted with Y, wherein Y is dioxolanyl, C_{1-4} alkyl, C_{1-4} alkoxy, C_{3-7} cycloalkyl, phenyl, azetidiny, pyrrolyl, pyrrolinyl, pyrrolidinyl, pyrrolidinonyl, imidazolyl, imidazoliny, imidazolidinyl, imidazolidinonyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, azepiny, diazepiny, pyridyl, pyrimidinyl, dihydrobenzimidazolonyl,

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

piperazinyl, piperidinyl, morpholino, benzothiazolyl,
benzisothiazolyl or thiomorpholino;
and wherein X and Y optionally share one carbon atom and
together form a spirocyclic moiety.

21. (Previously Presented) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and R^1 and R^2 are each independently L^1 , wherein L^1 is selected from the group consisting of H, C_{1-6} alkyl, or R^1 and R^2 together with the nitrogen to which they are attached form X, wherein X is piperidinyl or morpholino; wherein X is substituted with Y, wherein Y is dioxolanyl, C_{1-4} alkyl or piperidinyl; and wherein X and Y optionally share one carbon atom and together form a spirocyclic moiety.
22. (Original) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and wherein R^1 and R^2 are each independently L^1 , wherein L^1 is selected from the group consisting of H, C_{1-6} alkyl.
23. (Original) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and wherein R^1 and R^2 together with the nitrogen to which they are attached form X, wherein X is piperidinyl or morpholino; wherein X is substituted with Y, wherein Y is dioxolanyl, C_{1-4} alkyl or piperidinyl; and wherein X and Y optionally share one carbon atom and together form a spirocyclic moiety.
24. (Original) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and wherein R^1 and R^2 together with the nitrogen to which they are attached form X, wherein X is piperidinyl; wherein X is substituted with Y, wherein Y is piperidinyl.

25. (Original) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and wherein R^1 and R^2 together with the nitrogen to which they are attached form X, wherein X is morpholino; wherein X is substituted with Y, wherein Y is C_{1-4} alkyl.
26. (Original) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and wherein R^1 and R^2 together with the nitrogen to which they are attached form X, wherein X is piperidinyl; wherein X is substituted with Y, wherein Y is C_{1-4} alkyl.
27. (Original) A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and wherein R^1 and R^2 together with the nitrogen to which they are attached form X, wherein X is piperidinyl; wherein X is substituted with Y, wherein Y is dioxolanyl; and wherein X and Y share one carbon atom and together form a spirocyclic moiety.
28. (Original) A compound according to claim 1, wherein R^3 is R^{3a} and R^{3a} is substituted or unsubstituted phenyl, hydroxyphenyl, azetidiny, naphthyl, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, dihydroquinolinonyl, hydroquinolinonyl, quinolinyl, dihydroisoquinolinonyl, hydroisoquinolinonyl, isoquinolinyl, dihydroquinazolinonyl, hydroquinazolinonyl, quinazolinyl, dihydroquinoxalinonyl, hydroquinoxalinonyl, quinoxalinyl, benzimidazolyl, indazolyl, dihydrobenzimidazolonyl, hydrobenzimidazolonyl, benzimidazoliny, dihydro-benzthiazolonyl, hydrobenzthiazolonyl, benzthiazolyl, dihydrobenzoxazolyl, benzotriazolyl, dihydrobenzothiophenonyl, hydrobenzothiophenonyl, benzothienyl, dihydrobenzofuranonyl, hydrobenzofuranonyl, benzofuranyl, benzdioxolanyl, dihydroindolonyl, hydroindolonyl, indolyl, indoliziny, isoindolyl, indoliny, indazolyl, pyrazolyl, pyrazoliny, pyrazolidiny, furanyl, thienyl, pyrrolyl, pyrroliny, pyrrolidiny, imidazolyl, imidazoliny, imidazolidiny, pyridyl, puriny, carbazolyl, pyrimidiny, piperidiny, triazolopyrimidiny, tetrahydropyrazolopyridiny, piperaziny or morpholino.

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155


29. (Previously Presented) A compound according to claim 1, wherein R^3 is R^{3b} and R^{3b} is substituted or unsubstituted dihydrobenzimidazolonyl, hydrobenzimidazolonyl, benzimidazolonyl, dihydro-benzthiazolonyl, hydrobenzthiazolonyl, benzthiazolyl, dihydrobenzothiophenonyl, hydrobenzothiophenonyl, dihydrobenzofuranonyl, hydrobenzofuranonyl, 1H-indazol-5-yl, benzdioxolonyl, dihydrobenzoxazolyl, benzotriazolyl, dihydroindolonyl, hydroindolonyl, indoliziny, isoindolyl, indoliny, pyrazolyl, pyrazoliny, pyrazolidiny, furanyl, pyrrolyl, pyrroliny, pyrrolidiny, imidazoliny, imidazolidiny, puriny, carbazolyl, pyrimidiny, piperidiny, piperaziny or morpholino.

30. (Original) A compound according to claim 1, wherein D is O and m and n are each 1.


31. (Previously Presented). A compound according to claim 1, wherein p is 1; and G, J and E together form A^x .

32 - 36. (Canceled)

37. (Original) A compound according to claim 1 wherein R^3 is R^{3b} and R^{3b} is 1H-Indol-5-yl




1H-Indazol-5-yl




1H-Benzotriazol-5-yl


CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155




1,3-Dihydro-indol-2-on-5-yl




3H-Benzooxazol-2-on-6-yl



1,3-Dihydro-benzoimidazol-2-on-5-yl




1-Methyl-1,3-dihydro-benzoimidazol-2-on-6-yl




3,4-Dihydro-1H-quinolin-2-on-6-yl


CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155




1,4-Dihydro-benzo[d][1,3]oxazin-2-on-6-yl




3,4-Dihydro-1H-quinazolin-2-on-6-yl



3-Methyl-3,4-dihydro-1H-quinazolin-2-on-6-yl



4H-Benzo[1,4]oxazin-3-on-7-yl



wherein Ty is H, C₁₋₄alkyl, F, Cl, Br or nitrile.


CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

38. (Canceled)

39. (Currently amended) A pharmaceutical composition comprising a compound according to ~~claims 1-~~ claims 1 and 47-52.

40 - 46. (Canceled)

47. (Previously Presented) A compound according to Formula (I)



or a pharmaceutically acceptable salt thereof

wherein

V is $-N(R^1)(R^2)$; R^1 and R^2 together with the nitrogen to which they are attached form X,

wherein X is piperazinyl;

wherein X is substituted with Y, wherein Y is piperidinyl;


Q is Q';

wherein

Q' is $(S^y)_s R^3$;wherein S^y is C_1 -alkylene and s is 1;

U is NH;

 R^3 is R^{3b} wherein R^{3b} is 3H-Benzooxazol-2-on-6-yl

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155wherein T^y is H;

D is O;

A is CH_2 ;

m and n are each 1;


E is N;

p is 1;

G, J and E together form A^* ;

A^* is a fused heterocycle having two fused rings with 6 members in each of said rings, said heterocycle containing two nitrogen atoms; and containing 1 carbonyl wherein the carbon atom of said carbonyl is a member of said fused heterocycle.

48. (Previously Presented) A compound according to Formula (I)



or a pharmaceutically acceptable salt thereof

wherein


V is $-N(R^1)(R^2)$; R^1 and R^2 together with the nitrogen to which they are attached form X,

wherein X is piperazinyl;

wherein X is substituted with Y, wherein Y is piperidinyl;


Q is Q';

wherein

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155 Q' is $(S^y)_s R^3$;wherein S^y is C_1 -alkylene and s is 1; U is NH ; R^3 is R^{3b} wherein R^{3b} is 1H-Benzotriazol-5-ylwherein T^y is H ; D is O ; A is CH ; m and n are each 1; E is N ; p is 1; G , J and E together form A^x ;

A^x is a fused heterocycle having two fused rings with 6 members in each of said rings, said heterocycle containing two nitrogen atoms; and containing 1 carbonyl wherein the carbon atom of said carbonyl is a member of said fused heterocycle.

49. (Previously Presented) A compound according to Formula (I)



or a pharmaceutically acceptable salt thereof

wherein

 V is $-N(R^1)(R^2)$;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

R^1 and R^2 together with the nitrogen to which they are attached form X,
 wherein X is piperazinyl;
 wherein X is substituted with Y, wherein Y is piperidinyl;
 and wherein X and Y are
 optionally and independently substituted with 1 or 2
 of the same or different substituents selected
 from the group consisting of C_{1-4} alkyl;

Q is Q';


wherein

 Q' is $(S^y)_s R^3$;wherein S^y is C_{1-4} alkylene and s is 1;

U is NH;

 R^3 is R^{3b}

wherein

 R^{3b} is 1H-Indazol-5-ylwherein T^y is C_{1-4} alkyl;

D is O;

A is CH;

m and n are each 1;

E is C;

p is 1;

G, J and E together form A^x ;

A^x is a fused heterocycle having two fused rings with 6 members in each of said
 rings, said heterocycle containing one nitrogen atom; and
 containing 1 carbonyl wherein the carbon atom of said carbonyl is a
 member of said fused heterocycle.

CASE: CT2777A US - CIP (1)
U.S.S.N. 10/729,155

50. (Previously Presented) A compound or a pharmaceutically acceptable salt thereof selected from the group consisting of

(±)-3-(1*H*-Indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid;

(*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [1-(1*H*-indol-5-ylmethyl)-2-(4-isobutyl-piperazin-1-yl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxo-8-aza-spiro[4.5]dec-8-yl)-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [1-(1*H*-indazol-5-ylmethyl)-2-(4-isobutyl-piperazin-1-yl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxo-8-aza-spiro[4.5]dec-8-yl)-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxo-8-aza-spiro[4.5]dec-8-yl)-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-3-(7-Methyl-1*H*-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid methyl ester;

(±)-3-(7-Methyl-1*H*-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4]bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-dimethylcarbamoyl-2-(7-methyl-1H-indazol-5-yl)-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-(4-methyl-piperazin-1-yl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-pyrrolidin-1-yl-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;


(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-(4-pyridin-2-yl-piperazin-1-yl)-ethyl]-amide;

4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {1-(1H-indazol-5-ylmethyl)-2-oxo-2-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-ethyl}-amide;

4-(3-(1H-Indazol-5-yl)-2-[[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino]-propionyl)-piperazine-1-carboxylic acid benzyl ester;

4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(1H-indazol-5-ylmethyl)-2-oxo-2-piperazin-1-yl-ethyl]-amide;

4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {1-(1H-indazol-5-ylmethyl)-2-[4-(2-methyl-butyl)-piperazin-1-yl]-2-oxo-ethyl}-amide;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

3-(7-Methyl-1H-indazol-5-yl)-2-({[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;

3-(7-Methyl-1H-indazol-5-yl)-2-({[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-benzyl-piperidin-4-yl ester;

3-(7-Methyl-1H-indazol-5-yl)-2-({[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;

3-(7-Methyl-1H-indazol-5-yl)-2-({[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester;

3-(7-Methyl-1H-indazol-5-yl)-2-({[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid (R)-1-pyridin-4-yl-ethyl ester;

3-(7-Methyl-1H-indazol-5-yl)-2-({[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid (S)-1-pyridin-4-yl-ethyl ester;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

- (±)-3-(7-Chloro-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid methyl ester;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-chloro-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-3-(7-Ethyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid methyl ester;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(2-methyl-1H-benzimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- (R)-3-(1H-Benzotriazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid methyl ester;
- (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(1H-benzotriazol-5-ylmethyl)-2-[1,4']bipiperidinyl-1'-yl-2-oxo-ethyl]-amide;
- (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-1H-indol-5-ylmethyl)-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-benzyloxy-2-oxo-2H-pyridin-1-ylmethyl)-2-[1,4']bipiperidinyl-1'-yl-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxy-2-oxo-2H-pyridin-1-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxy-piperidin-1-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-ylmethyl)-ethyl]-amide;
- (±)-3-(7,7-Dimethyl-1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid methyl ester;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7,7-dimethyl-1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(6-methoxy-pyridin-3-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(2-methoxy-pyrimidin-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(6-benzoyloxy-pyridin-3-ylmethyl)-2-[1,4']bipiperidinyl-1'-yl-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(6-oxo-1,6-dihydro-pyridin-3-ylmethyl)-ethyl]-amide;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyric acid methyl ester;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-1-(1,4-Dioxo-8-aza-spiro[4.5]dec-8-yl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-N,N-Dimethyl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;
- (±)-1-(2,6-Dimethyl-morpholin-4-yl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-1-(4-methyl-piperidin-1-yl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-1-morpholin-4-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-1-piperidin-1-yl-butane-1,4-dione;
- (±)-1-(1,4-Dioxo-8-aza-spiro[4.5]dec-8-yl)-2-(1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

CASE: CT2777A US - CIP [1]
U.S.S.N: 10/729,155

(±)-2-(1H-Indazol-5-ylmethyl)-N,N-dimethyl-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;

(±)-5-{2-([1,4']Bipiperidiny-1'-carbonyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyl}-indazole-1-carboxylic acid *tert*-butyl ester;

(±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-N-prop-2-ynyl-butyramide;

(L)-{1-([1,4']Bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-carbamic acid *tert*-butyl ester;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-(1H-indol-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-(5-chloro-2-nitro-phenylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-(6-chloro-pyrimidin-4-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-(2-chloro-9H-purin-6-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-2-(4-Amino-6-methyl-5-nitro-pyrimidin-2-ylamino)-1-[1,4']bipiperidiny-1'-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-(4,5-diamino-6-methyl-pyrimidin-2-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-(7-methyl-1H-[1,2,3]triazolo[4,5-d]pyrimidin-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-((2'-pyridyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-((5'-indazolyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-((3'-methyl-phenyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

(L)-1-[1,4']Bipiperidiny-1'-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-2-(pyrimidin-4-ylamino)-butane-1,4-dione;


(L)-1-[1,4']Bipiperidiny-1'-yl-2-(4-hydroxy-cyclohexylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-[(1H-imidazol-4-ylmethyl)-amino]-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;


(L)-N-{1-([1,4']Bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-4-methoxy-benzamide;

(L)-N-{1-([1,4']Bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-4-hydroxy-benzamide;
















(L)-1H-Pyrazole-3-carboxylic acid {1-([1,4']bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-amide;




CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155




CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155




CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155




CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155



CASE: CT2777A US - CIP (1)
U.S.S.N. 10/729,155



CASE: CT2777A US - CIP (1)
U.S.S.N. 10/729,155

(±)-1-[1,4']Bipiperidinyl-1'-yl-2-(1H-indazol-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(±)-3-(3-Cyano-1H-indol-5-yl)-2-[[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino]-propionic acid methyl ester;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3-cyano-1H-indol-5-yl-methyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1(3-cyano-7-methyl-1H-indol-5-yl-methyl)-2-oxo-ethyl]-amide;

(±)-3-(7-Isopropyl-1H-indazol-5-yl)-2-[[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino]-propionic acid methyl ester;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1(7-isopropyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1(7-ethyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
- (±)-4-(2,2-Dioxo-1,4-dihydro-2H-2λ⁶-benzo[1,2,6]thiadiazin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1(7-methyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
- (±)-4-(2,2-Dioxo-1,4-dihydro-2H-2λ⁶-benzo[1,2,6]thiadiazin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1(7-ethyl-3-methyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
- (±)-2-[4-(6-Cyano-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino]-3-(7-methyl-1H-indazol-5-yl)-propionic acid methyl ester;
- (±)-4-(6-Cyano-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-4-(2-Oxo-1,2,4,5-tetrahydro-benzo[d][1,3]diazepin-3-yl)-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-4-(6-Hydroxy-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-4-(8-Methoxy-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-4-(8-Chloro-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-N-(3-(7-Ethyl-1H-indazol-5-yl)-1-(6,7-dihydro-1H-pyrazolo[4,3-c]pyridin-5(4H)-yl)-1-oxopropan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;
- (±)-N-(3-(7-Ethyl-1H-indazol-5-yl)-1-(6,7-dihydro-7,7-dimethyl-1H-pyrazolo[4,3-c]pyridin-5(4H)-yl)-1-oxopropan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;
- (±)-Methyl 2-(4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamido)-3-(7-methyl-1H-indazol-5-yl)propanoate;
- (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-N-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

(±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-N-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-phenylpiperazin-1-yl)propan-2-yl)piperidine-1-carboxamide;

(±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-N-(1-(4-(4-fluorophenyl)piperazin-1-yl)-3-(7-methyl-1H-indazol-5-yl)-1-oxopropan-2-yl)piperidine-1-carboxamide;

(±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-N-(1-(4-(2-fluorophenyl)piperazin-1-yl)-3-(7-methyl-1H-indazol-5-yl)-1-oxopropan-2-yl)piperidine-1-carboxamide;

(±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-N-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-*o*-tolylpiperazin-1-yl)propan-2-yl)piperidine-1-carboxamide;

(±)-Methyl 2-(4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamido)-3-(7-ethyl-3-methyl-1H-indazol-5-yl)propanoate;

(±)-N-(3-(7-Ethyl-3-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;

(*R*)-N-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;

(±)-4-(8-Fluoro-1,2-dihydro-2,4-dioxoquinazolin-3(4H)-yl)-N-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;

N-((*R*)-3-(2-(trifluoromethyl)-1*H*-benzo[*d*]imidazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;

N-((*R*)-1-(dimethylcarbamoyl)-2-(2-(trifluoromethyl)-1*H*-benzo[*d*]imidazol-5-yl)ethyl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;

(*R*)-methyl 2-(4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamido)-3-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)propanoate;

N-((*R*)-3-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)-1-oxo-1-(4-piperidin-1-yl)piperidine-1-yl)propan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;

N-((*R*)-1-(dimethylcarbamoyl)-2-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)ethyl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;

4-(1,2-dihydro-2,4-dioxoquinazolin-3(4*H*)-yl)-N-((*R*)-3-(7-methyl-1*H*-benzo[*d*][1,2,3]triazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;

CASE: CT2777A US - CIP (1)
U.S.S.N. 10/729,155

(R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-cyclohexyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;

(R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-isopropyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;

(R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

(R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(5-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

(R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-bromo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

(R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(5-bromo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

(R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-iodo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

(±)-N-(1-Benzyl-2-hydroxy-ethyl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;

(±)-Phenyl-acetic acid N'-{2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyryl}-hydrazide;

(±)-1-[1,4']Bipiperidinyl-1'-yl-4-[4-(8-fluoro-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-2-(7-methyl-1H-indazol-5-ylmethyl)-butane-1,4-dione;

(±)-1-(4-Cyclohexyl-piperazin-1-yl)-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(±)-1-[1,4']Bipiperidinyl-1'-yl-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-cyclohexyl-piperazin-1-yl)-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

(±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[4-(4-fluoro-phenyl)-piperazin-1-yl]-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid tert-butyl ester;

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid 1-methyl cyclohexyl ester;

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid 1-aza-bicyclo[2.2.2]oct-3-yl ester;

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid piperidin-4-yl ester;

(±)-4-(3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionyloxy)-piperidine-1-carboxylic acid tert-butyl ester;

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid 3,4,5,6-tetrahydro-2H-[1,4']bipyridinyl-4-yl ester;

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid 1-diethylamino-1-methyl-ethyl ester;

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid 1,1-dimethyl-2-phenyl-ethyl ester;

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid 1,1-dimethyl-3-phenyl-propyl ester;

(±)-3-(7-Methyl-1H-indazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid ethyl ester; and

(R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1d-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]amide.

51. (Previously Presented) (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide or a pharmaceutically acceptable salt thereof.

CASE: CT2777A US - CIP [1]
U.S.S.N. 10/729,155

52. (Previously Presented) (R)-3-(1H-Benzotriazol-5-yl)-2-([4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino)-propionic acid methyl ester or a pharmaceutically acceptable salt thereof.